

AMENDMENT TRANSMITTAL LETTERDocket No.
BAF-16802/29Application No.
10/767,194-Conf. #5735Filing Date
January 29, 2004Examiner
A. J. StewartArt Unit
3738

Applicant(s): Bret A. Ferree

Invention: IN SITU ARTIFICIAL DISC REPLACEMENTS AND OTHER PROSTHETIC COMPONENTS

TO THE COMMISSIONER FOR PATENTS

Transmitted herewith is an amendment in the above-identified application.

The fee has been calculated and is transmitted as shown below.

CLAIMS AS AMENDED					
	Claims Remaining After Amendment	Highest Number Previously Paid	Number Extra Claims Present	Rate	
Total Claims	18	- 21 =	0	x 25.00	0.00
Independent Claims	2	- 3 =	0	x 105.00	0.00
Multiple Dependent Claims (check if applicable) <input type="checkbox"/>					
Other fee (please specify):					
TOTAL ADDITIONAL FEE FOR THIS AMENDMENT:					0.00

☐ Large Entity☒ Small Entity☒ No additional fee is required for this amendment.☐ Please charge Deposit Account No. _____ in the amount of \$ _____.
A duplicate copy of this sheet is enclosed.☐ A check in the amount of \$ _____ to cover the filing fee is enclosed.☐ Payment by credit card. Form PTO-2038 is attached.☒ The Director is hereby authorized to charge and credit Deposit Account No. 07-1180
as described below. A duplicate copy of this sheet is enclosed.☒ Credit any overpayment.☒ Charge any additional filing or application processing fees required under 37 CFR 1.16 and 1.17.Dated: March 10, 2008John G. Posa
Attorney/Agent Reg. No.: 37,424GIFFORD, KRASS, SPRINKLE, ANDERSON & CITKOWSKI, P.C.
2701 Troy Center Drive, Suite 330
Post Office Box 7021
Troy, Michigan 48007-7021
(734) 913-9300

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Ferree

Serial No.: 10/767,194

Group No.: 3774

Filed: January 29, 2004

Examiner: A. J. Stewart

For: IN SITU ARTIFICIAL DISC REPLACEMENTS AND OTHER PROSTHETIC
COMPONENTS

AMENDMENT IN RESPONSE TO NON-FINAL OFFICE ACTION

MS Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

In response to the Office Action mailed December 10, 2007, please amend the above-referenced application as follows: